



**DEPARTMENT OF THE NAVY**

COMMANDER  
TRAINING AIR WING FIVE  
7480 USS ENTERPRISE STREET SUITE 205  
MILTON, FLORIDA 32570-6017

IN REPLY REFER TO  
COMTRAWINGFIVEINST 3140.2H CH-1  
Code N3  
14 Sep 15

COMTRAWING FIVE INSTRUCTION 3140.2H CHANGE TRANSMITTAL 1

Subj: DESTRUCTIVE WEATHER BILL

Encl: Enclosure (3) Weather Notification Checklist

1. Purpose. To provide a change to the basic instruction.
2. Action. Replace enclosure (3) of the basic instruction with attached updated enclosure page.

  
G. A. KLING

Distribution:  
COMTRAWINGFIVEINST 5216.1T  
Lists I(a,b), II (a-c, g, h-l)



DEPARTMENT OF THE NAVY  
COMMANDER  
TRAINING AIR WING FIVE  
7480 USS ENTERPRISE STREET SUITE 205  
MILTON, FLORIDA 32570-6017

CH-1 incorp 14 Sep 15 -cmw

IN REPLY REFER TO

COMTRAWINGFIVEINST 3140.2H

N3

16 Sep 13

COMTRAWINGFIVE INSTRUCTION 3140.2H

From: Commander, Training Air Wing FIVE

Subj: DESTRUCTIVE WEATHER BILL

Ref: (a) OPNAVINST 3140.24 Series  
(b) COMTRAWINGFIVEINST 3140.1 Series  
(c) CNATRAININST 3710.8 Series  
(d) COMTRAWINGFIVEINST 3710.2 Series  
(e) COMTRAWINGFIVEINST 3710.8 Series


Encl: (1) Destructive Weather Descriptions  
(2) TRAWING FIVE Aircraft Securing Recommendations  
(3) Weather Notification Checklist

1. Purpose. To establish criteria and procedures for the preparation, issuance, and dissemination of destructive weather warnings and conditions of readiness for Training Air Wing (TRAWING) FIVE and subordinate commands as required by references (a) through (e).

2. Cancellation. COMTRAWINGFIVEINST 3140.2G.

3. Discussion. Timely action by activities to avoid injury to personnel or damage to aircraft and facilities due to destructive weather phenomena, as defined in reference (a), is essential. Rapid dissemination of weather warnings is imperative to assure safety of personnel and prevent damage to equipment.

4. Action. Enclosures (1) through (3) describe the destructive weather warnings and actions required for various parties. For guidance concerning tropical storms or hurricanes refer to reference (b).

  
J. J. FISHER

Distribution:  
COMTRAWINGFIVEINST 5216.1S  
Lists I(a,b), II, III(a-c,f,g,i-k)

**DESTRUCTIVE WEATHER DESCRIPTIONS**

1. Weather Watches and Warnings. Watches and Warnings are issued for thunderstorms and tornadoes per criteria in reference (a) and as listed below.

a. Thunderstorm Watch (T2). Destructive wind and accompanying thunderstorms are within 25 nautical miles (NM) or expected within the next six hours.

b. Thunderstorm Warning (T1). Destructive wind and accompanying thunderstorms are within 10 NM or expected within one hour.

c. Severe Thunderstorm Watch (Severe T2). Wind gusts greater than 50 knots, hail greater than 3/4 of an inch, and/or tornadoes are within 25 NM or expected within six hours.

d. Severe Thunderstorm Warning (Severe T1). Wind gusts greater than 50 knots, hail greater than 3/4 of an inch, and/or tornadoes are within 10 NM or expected within one hour.

2. Airfield Wind Advisory, Gale Warning, and Storm Warnings. These warnings are issued by the Naval Aviation Forecast Command (NAFC) Naval Air Station Whiting Field (NASWF) forecaster for sustained wind conditions associated with non-tropical systems.

a. Airfield Wind Advisory. Sustained winds are forecast to be 18-33 knots.

b. Gale Warning. Sustained winds are forecast to be 34-47 knots.

c. Storm Warning. Sustained winds are forecast to be 48 knots or greater.

3. Freezing Precipitation. Freezing precipitation can occur when temperatures are below freezing. There are advisories and warnings based on the quantity of accumulation per reference (a).

a. Freezing Precipitation Advisory - Accumulation up to 1/4 inch.

b. Freezing Precipitation Warning - Accumulation greater than 1/4 inch.

4. Aviation Weather Warnings.

a. Aviation Severe Weather Watch (WWS). Issued by the Severe Storms Forecast Center in Kansas City, MO for severe thunderstorms/tornadoes.

b. CNATRA Aviation Weather Warnings (CAWWS). Issued for CNATRA by NAFC Pensacola per reference (c). The warning area includes a 100 nautical mile (NM) radius around Naval Air Station Pensacola and

NASWF. A CAWW is only issued when the National Weather Service (NWS) has not issued a WW or SIGMET for the local area and one of the following is forecast:

- (1) Embedded thunderstorms
- (2) Severe thunderstorms
- (3) Tornadoes

c. Convective Significant Meteorological Event or SIGMET. Issued by the NWS Flight Advisory System for widespread Instrument Meteorological Conditions (IMC) including thunderstorms, icing, and turbulence. Pilots are required to follow the guidance in references (d) and (e) regarding Convective SIGMETS.

## 5. Line Operations.

a. Aircraft Line and Pre-Flighting Personnel. Squadron Flight Duty Officers (FDOs), or equivalent position, should secure flight line personnel when weather conditions dictate. Keen judgment, leadership, and sound decision making shall be exercised. Particular attention should be given when lightning is reported within 5 nautical miles and fueling operations have been halted. All FDOs shall secure the line when Maintenance has secured the line. Line activity may be resumed by each squadron via the FDO when necessary, but not before Maintenance has resumed line activity. Safety of personnel shall always be the most important consideration. After flight operations and the NASWF Operations Duty Officer has secured, Maintenance may obtain weather and lightning information from Naval Atlantic Meteorology and Oceanography Command at (757) 444-2594. Maintenance may continue issuing aircraft during all thunderstorm warnings. However, if pilots are issued an aircraft, they shall not commence pre-flight inspections until after the lines have been re-opened. If it is unsafe for Maintenance or Fueling personnel to be outdoors, it is also unsafe for a Pilot.

b. Aircraft Parking. If Maintenance has secured due to inclement weather, recoveries at NASWF may still be accomplished if necessary. Other options, such as landing at a nearby Outlying Field (OLF) or airport that is not encountering severe weather should be thoroughly considered.

(1) North Field (T-6) Operations. If Maintenance has secured from conducting line operations, parking shall be per reference (d).

(2) South Field (TH-57) Operations. If Maintenance has secured from conducting line operations, parking shall be per reference (e).

6. Action.

a. TRAWING FIVE Command Duty Officer (CDO). Upon notification of potential destructive weather, the TRAWING FIVE CDO shall notify each person detailed in enclosure (3).

b. TRAWING FIVE Operations. Coordinate with each TRAWING FIVE squadron, NAFC NASWF, and the CNATRA Maintenance Detachment Officer in Charge, and make recommendations to the Commander, TRAWING FIVE (CTW-5) using enclosure (2), as necessary.

**TRAWING FIVE AIRCRAFT SECURING RECOMMENDATIONS**

1. The following table should be used as a recommendation for securing methods of TRAWING FIVE aircraft based on forecast conditions. Evacuation of aircraft will not be possible due to limited forecasting timelines for the weather phenomenon described in this instruction. It is impossible to hangar all aircraft if a warning is issued with short notice because hangaring procedures require time to execute. Safety of personnel and equipment shall be considered paramount when a decision is made to hangar on short notice. The severity and duration of storms must be considered thoroughly due to the immense operational impact caused by hangaring aircraft. Coordination with NAFC NASWF often solidifies the proper course of action when considering the securing method recommendation for CTW-5.

| <u>Forecast Condition</u>  | <u>Recommended Securing Method</u> |
|--|------------------------------------|
| Always   | Moor or hangar following flight    |
| Wind speed less than 50 knots sustained  | Moor                               |
| Wind speed greater than 50 knots sustained, refer to reference (b) for tropical storms or hurricanes             | Hangar                             |
| Severe Thunderstorm in which hail or tornadoes are likely (consult NAFC), otherwise refer to wind guidance above | Hangar                             |
| Freezing precipitation is likely (consult NAFC)  | Hangar                             |

## WEATHER NOTIFICATION CHECKLIST

| NAME AND TITLE                        | ABBREVIATION | DURING FLIGHT OPERATIONS | NON-FLYING HOURS |
|---------------------------------------|--------------|--------------------------|------------------|
| Commander, TRAWING FIVE (Commodore)*  | CTW-5        | 623-7555                 | 850-393-2075     |
| Deputy Commander, TRAWING FIVE *      | DCTW-5       | 623-7555                 | 850-698-5020     |
| Chief Staff Officer, TRAWING FIVE *   | TW-5 CSO     | 623-7555                 | 850-698-5977     |
| TRAWING FIVE Command Duty Officer     | TW-5 CDO     | 850-637-2793             | 850-637-2793     |
| TRAWING FIVE, Operations Officer      | TW-5 OPS     | 623-7060                 | 850-393-4707     |
| CNATRA Maintenance Detachment OIC     | MAINT        | 623-7140                 | 850-698-0960     |
| Academic Training                     | ACAD TRNG    | 623-7251                 | 665-6157/6234    |
| VT-2 FDO/SDO                          | VT-2         | 623-7428                 | 623-7222         |
| VT-3 FDO/SDO                          | VT-3         | 623-7688                 | 623-7323         |
| VT-6 FDO/SDO                          | VT-6         | 623-7468                 | 623-7666         |
| HT-8 FDO/SDO                          | HT-8         | 623-7188                 | 623-7188         |
| HT-18 FDO/SDO                         | HT-18        | 623-7477                 | 623-7418         |
| HT-28 FDO/SDO                         | HT-28        | 623-7973                 | 623-7973         |
| FITU FDO/SDO                          | FITU         | 623-7273                 | Recall           |
| HITU FDO/SDO                          | HITU         | 623-7631                 | Recall           |
| T-6 Aircraft Maintenance Contractor   | SSSI         | (850)665-6141            | 983-9690         |
| TH-57 Aircraft Maintenance Contractor | L-3          | 981-0059                 | 981-0059         |
| Simulator Maintenance Contractor      | CUBIC        | 626-1176                 | 626-1176         |

\* DO NOT CALL FOR THUNDERSTORM CONDITIONS 1/2 OR WW/CAWW/SIGMET \*